



BÜCHSENPATRONEN

GECO ZERO

GECO .30-06 ZERO 8,8g

Artikel-Nr.:	2318821
Geschosstyp:	Fragmentation
Geschossgewicht:	8.8 g / 136 gr
Laufänge:	600 mm
Ballistik-Koeffizient:	0.229
Kaliber:	.30-06 Spring.
Verpackungsgröße:	20
Blei:	Nein
Rückstoß:	Leicht
Nutzung für:	Leichtes Wild Mittelschweres Wild Schweres Wild

HIGHLIGHTS

- Bleifreies Teilzerlegungsgeschoss für alle Wildarten
- Hochinnovatives Mantelgeschoss mit zwei Zinnkernen
- Hohlspitzkonstruktion für hohe Präzision und beste Wirksamkeit
- Vorderer Zinnkern mit radial verlaufenden Sollbruchstellen für sicheres Ansprechverhalten und hohe Augenblickswirkung
- Hinterer Zinnkern mit Heck-Einschnürung für einen massestabilen Restkörper und einen gesicherten Ausschuss

Beschreibung

Das GECO ZERO ist ein bleifreies Geschoss mit hoher Wirksamkeit und Präzision - für alle Wildarten.



BALLISTIC DATA

Metrisch


Geschwindigkeit		Energie		Empfohlene Einschieß-Entfernung		
V0 [m/s]	920	E0 [J]	3724		100m	MRD* 178m
V50 [m/s]	851	E50 [J]	3186	50 m	-0.8	1.2
V100 [m/s]	785	E100 [J]	2711	100 m	∞	4
V150 [m/s]	722	E150 [J]	2294	150 m	-3.2	2.8
V200 [m/s]	662	E200 [J]	1928	200 m	-11.1	-3.1
V250 [m/s]	605	E250 [J]	1611	250 m	-24.2	-14.7
V300 [m/s]	551	E300 [J]	1336	300 m	-45	-33

Imperial

Geschwindigkeit		Energie		Empfohlene Einschieß-Entfernung		
V0 [ft/s]	3018	E0 [ft/lbs]	2747		100yds	MRD* 198yds
V50 [ft/s]	2810	E50 [ft/lbs]	2381	50 yds	-0.4	0.3
V100 [ft/s]	2611	E100 [ft/lbs]	2056	100 yds	∞	1.6
V150 [ft/s]	2420	E150 [ft/lbs]	1766	150 yds	-0.8	1.5
V200 [ft/s]	2238	E200 [ft/lbs]	1510	200 yds	-3.1	
V250 [ft/s]	2064	E250 [ft/lbs]	1285	250 yds	-7.2	-3.3
V300 [ft/s]	1899	E300 [ft/lbs]	1087	300 yds	-13.3	-8.7



Bullet construction of GECO ZERO



GECO PERFORMANCE POINT:

For accuracy and certain expansion

PRE-FRAGMENTED TIN FRONT CORE:

For reliable performance and solid stopping power

REAR CANNELURE:

For heigh weight retention and a certain exit wound



PERFORMANCE

