



CENTREFIRE RIFLE CARTRIDGES

GECO PLUS

GECO .300 Win. Mag. PLUS 11,0g

Item no:	2317809
Bullet type:	Bonded
Bullet Weight:	11,0 g / 170 gr
Barrell Length:	650 mm
Ballistic Coefficient:	0.274
Caliber:	.300 Win. Mag.
Unit size:	20
Lead:	Yes
Recoil:	Medium
Usage for:	Light Game Medium Game Heavy Game

HIGHLIGHTS

- Penetrates deeply and preserves game (even in the case of larger game).
- Reliable effectiveness in heavy game and bone hits
- GECO BONDING provides high precision and deformation you can count on
- Control of the deformation through the visible predetermined breaking points in the jacket

DESCRIPTION

GECO PLUS is synonymous with deep penetration and game preservation (even in the case of larger game).



BALLISTIC DATA

Metric


Velocity		Energy		Zero Range		
V0 [m/s]	940	E0 [J]	4860		100m	MRD* 188m
V50 [m/s]	881	E50 [J]	4269	50m	-0.9	1.1
V100 [m/s]	824	E100 [J]	3734	100m	∅	4
V150 [m/s]	770	E150 [J]	3261	150m	-2.7	3.3
V200 [m/s]	718	E200 [J]	2835	200m	-9.6	-1.5
V250 [m/s]	668	E250 [J]	2454	250m	-21.2	-11.1
V300 [m/s]	620	E300 [J]	2114	300m	-38.3	-26.2

Imperial

Velocity		Energy		Zero Range		
V0 [ft/s]	3084	E0 [ft/lbs]	3585		100yds	MRD* 206yds
V50 [ft/s]	2906	E50 [ft/lbs]	3183	50yds	-0.5	0.3
V100 [ft/s]	2736	E100 [ft/lbs]	2822	100yds	∅	1.5
V150 [ft/s]	2572	E150 [ft/lbs]	2493	150yds	-0.7	1.6
V200 [ft/s]	2413	E200 [ft/lbs]	2195	200yds	-2.7	0.3
V250 [ft/s]	2260	E250 [ft/lbs]	1925	250yds	-6.2	-2.4
V300 [ft/s]	2114	E300 [ft/lbs]	1684	300yds	-11.4	-6.9



Bullet construction of GECO PLUS



1

GECO PERFORMANCE POINT:

For precision and safe deformation

2

GECO GROOVES:

For controlled effectiveness

3

GECO BONDING:

For deep penetration and venision protection



Product Datasheet

