



CENTREFIRE RIFLE CARTRIDGES

GECO PLUS

GECO 6,5x55 SE PLUS 10,1g

Item no:	2317839
Bullet type:	Bonded
Bullet Weight:	10.1 g / 156 gr
Barrell Length:	600 mm
Ballistic Coefficient:	0.308
Caliber:	6,5x55 SE
Unit size:	20
Lead:	Yes
Recoil:	Light
Usage for:	Predator hunting Light Game Medium Game

HIGHLIGHTS

- Penetrates deeply and preserves game (even in the case of larger game).
- Reliable effectiveness in heavy game and bone hits
- GECO BONDING provides high precision and deformation you can count on
- Control of the deformation through the visible predetermined breaking points in the jacket

DESCRIPTION

GECO PLUS is synonymous with deep penetration and game preservation (even in the case of larger game).



BALLISTIC DATA

Metric


Velocity		Energy		Zero Range		
V0 [m/s]	750	E0 [J]	2841		100m	MRD* 152m
V50 [m/s]	704	E50 [J]	2503	50m	0	2
V100 [m/s]	660	E100 [J]	2200	100m	∞	4
V150 [m/s]	618	E150 [J]	1929	150m	-5.6	0.3
V200 [m/s]	577	E200 [J]	1681	200m	-17.7	-9.7
V250 [m/s]	538	E250 [J]	1462	250m	-37.1	-27.2
V300 [m/s]	501	E300 [J]	1268	300m	-65.1	-53.2

Imperial

Velocity		Energy		Zero Range		
V0 [ft/s]	2461	E0 [ft/lbs]	2095		100yds	MRD* 166yds
V50 [ft/s]	2323	E50 [ft/lbs]	1868	50yds	-0.2	0.6
V100 [ft/s]	2190	E100 [ft/lbs]	1660	100yds	∞	1.6
V150 [ft/s]	2061	E150 [ft/lbs]	1470	150yds	-1.6	0.7
V200 [ft/s]	1938	E200 [ft/lbs]	1300	200yds	-5.3	-2.2
V250 [ft/s]	1819	E250 [ft/lbs]	1145	250yds	-11.3	-7.4
V300 [ft/s]	1704	E300 [ft/lbs]	1005	300yds	-19.9	-15.2



Bullet construction of GECO PLUS



1

GECO PERFORMANCE POINT:

For precision and safe deformation

2

GECO GROOVES:

For controlled effectiveness

3

GECO BONDING:

For deep penetration and venision protection



Product Datasheet

