



CENTREFIRE RIFLE CARTRIDGES

GECO PLUS

GECO 8x57 JRS PLUS 12,7g

Item no:	2317846
Bullet type:	Bonded
Bullet Weight:	12.7 g / 196 gr
Barrell Length:	600 mm
Ballistic Coefficient:	0.346
Caliber:	8x57 JRS
Unit size:	20
Lead:	Yes
Recoil:	Medium
Usage for:	Light Game Medium Game Heavy Game

HIGHLIGHTS

- Penetrates deeply and preserves game (even in the case of larger game).
- Reliable effectiveness in heavy game and bone hits
- GECO BONDING provides high precision and deformation you can count on
- Control of the deformation through the visible predetermined breaking points in the jacket

DESCRIPTION

GECO PLUS is synonymous with deep penetration and game preservation (even in the case of larger game).



BALLISTIC DATA

Metric


Velocity		Energy		Zero Range		
V0 [m/s]	710	E0 [J]	3201		100m	MRD* 147m
V50 [m/s]	670	E50 [J]	2851	50m	0.2	2.2
V100 [m/s]	632	E100 [J]	2536	100m	∅	4
V150 [m/s]	595	E150 [J]	2248	150m	-6.4	-0.4
V200 [m/s]	560	E200 [J]	1991	200m	-19.7	-11.8
V250 [m/s]	526	E250 [J]	1757	250m	-40.9	-30.9
V300 [m/s]	493	E300 [J]	1543	300m	-70.9	-59

Imperial

Velocity		Energy		Zero Range		
V0 [ft/s]	2329	E0 [ft/lbs]	2361		100yds	MRD* 159yds
V50 [ft/s]	2210	E50 [ft/lbs]	2125	50yds	-0.1	0.7
V100 [ft/s]	2095	E100 [ft/lbs]	1910	100yds	∅	1.5
V150 [ft/s]	1984	E150 [ft/lbs]	1713	150yds	-1.9	0.4
V200 [ft/s]	1876	E200 [ft/lbs]	1532	200yds	-6	-2.9
V250 [ft/s]	1772	E250 [ft/lbs]	1366	250yds	-12.5	-8.7
V300 [ft/s]	1672	E300 [ft/lbs]	1217	300yds	-21.9	-17.2



Bullet construction of GECO PLUS



1

GECO PERFORMANCE POINT:

For precision and safe deformation

2

GECO GROOVES:

For controlled effectiveness

3

GECO BONDING:

For deep penetration and venision protection



Product Datasheet

