



**CENTREFIRE RIFLE
CARTRIDGES**

GECO PLUS

GECO 9,3x62 PLUS 16,5g

Item no:	2317848
Bullet type:	Bonded
Bullet Weight:	16.5 g / 255 gr
Barrell Length:	600 mm
Ballistic Coefficient:	0.335
Caliber:	9,3x62
Unit size:	20
Lead:	Yes
Recoil:	Strong
Usage for:	Medium Game Heavy Game

HIGHLIGHTS

- Penetrates deeply and preserves game (even in the case of larger game).
- Reliable effectiveness in heavy game and bone hits
- GECO BONDING provides high precision and deformation you can count on
- Control of the deformation through the visible predetermined breaking points in the jacket

DESCRIPTION

GECO PLUS is synonymous with deep penetration and game preservation (even in the case of larger game).



BALLISTIC DATA

Metric


Velocity		Energy		Zero Range		
V0 [m/s]	740	E0 [J]	4518		100m	MRD* 152m
V50 [m/s]	698	E50 [J]	4019	50m	0	2
V100 [m/s]	658	E100 [J]	3572	100m	∞	4
V150 [m/s]	619	E150 [J]	3161	150m	-5.7	0.3
V200 [m/s]	581	E200 [J]	2785	200m	-17.8	-9.8
V250 [m/s]	545	E250 [J]	2450	250m	-37.2	-27.2
V300 [m/s]	510	E300 [J]	2146	300m	-64.9	-52.8

Imperial

Velocity		Energy		Zero Range		
V0 [ft/s]	2428	E0 [ft/lbs]	3332		100yds	MRD* 165yds
V50 [ft/s]	2302	E50 [ft/lbs]	2996	50yds	-0.2	0.6
V100 [ft/s]	2180	E100 [ft/lbs]	2687	100yds	∞	1.5
V150 [ft/s]	2062	E150 [ft/lbs]	2404	150yds	-1.7	0.7
V200 [ft/s]	1948	E200 [ft/lbs]	2145	200yds	-5.4	-2.3
V250 [ft/s]	1838	E250 [ft/lbs]	1910	250yds	-11.3	-7.5
V300 [ft/s]	1732	E300 [ft/lbs]	1696	300yds	-19.9	-15.3



Bullet construction of GECO PLUS



1

GECO PERFORMANCE POINT:

For precision and safe deformation

2

GECO GROOVES:

For controlled effectiveness

3

GECO BONDING:

For deep penetration and venision protection



Product Datasheet

