



**CENTREFIRE RIFLE
CARTRIDGES**

GECO ZERO

GECO 7x65 R ZERO 8,2g

Item no:	2318820
Bullet type:	Fragmentation
Bullet Weight:	8.2 g / 127 gr
Barrell Length:	600 mm
Ballistic Coefficient:	0.274
Caliber:	7x65 R
Unit size:	20
Lead:	No
Recoil:	Light
Usage for:	Light Game Medium Game Heavy Game

HIGHLIGHTS

- Lead-free semi-jacketed bullet for all types of game
- Highly innovative jacketed bullet with two tin cores
- Hollow-point construction for high accuracy and best effectiveness
- Front tin core with radial arrangement of predetermined breaking points for a reliably rapid response and high instantaneous effectiveness
- Rear tin core with rear constriction for stability in the residual body and a secure exit wound

DESCRIPTION

GECO ZERO is a highly effective and accurate, lead-free bullet for all types of game.



BALLISTIC DATA

Metric


Velocity		Energy		Zero Range		
V0 [m/s]	890	E0 [J]	3248		100m	MRD* 177m
V50 [m/s]	833	E50 [J]	2845	50m	-0.7	1.3
V100 [m/s]	778	E100 [J]	2482	100m	∅	4
V150 [m/s]	726	E150 [J]	2161	150m	-3.3	2.7
V200 [m/s]	676	E200 [J]	1874	200m	-11.3	-3.3
V250 [m/s]	627	E250 [J]	1612	250m	-27.7	-14.7
V300 [m/s]	581	E300 [J]	1384	300m	-44.4	-32.3

Imperial

Velocity		Energy		Zero Range		
V0 [ft/s]	2920	E0 [ft/lbs]	2396		100yds	MRD* 197yds
V50 [ft/s]	2749	E50 [ft/lbs]	2123	50yds	-0.4	0.4
V100 [ft/s]	2584	E100 [ft/lbs]	1876	100yds	∅	1.6
V150 [ft/s]	2425	E150 [ft/lbs]	1652	150yds	-0.9	1.5
V200 [ft/s]	2272	E200 [ft/lbs]	1450	200yds	-3.2	-0.1
V250 [ft/s]	2125	E250 [ft/lbs]	1269	250yds	-7.3	-3.4
V300 [ft/s]	1984	E300 [ft/lbs]	1106	300yds	-13.3	-8.6



Bullet construction of GECO ZERO



1 GECO PERFORMANCE POINT:

For accuracy and certain expansion

2 PRE-FRAGMENTED TIN FRONT CORE:

For reliable performance and solid stopping power

3 REAR CANNELURE:

For heigh weight retention and a certain exit wound



Product Datasheet

