



CENTREFIRE RIFLE CARTRIDGES

GECO ZERO

GECO 7mm Rem. Mag. ZERO 8,2g

Item no:	2318868
Bullet type:	Fragmentation
Bullet Weight:	8.2 g / 127 gr
Barrell Length:	650 mm
Ballistic Coefficient:	0.274
Caliber:	7 mm Rem. Mag.
Unit size:	20
Lead:	No
Recoil:	Light
Usage for:	Light Game Medium Game Heavy Game

HIGHLIGHTS

- Lead-free semi-jacketed bullet for all types of game
- Highly innovative jacketed bullet with two tin cores
- Hollow-point construction for high accuracy and best effectiveness
- Front tin core with radial arrangement of predetermined breaking points for a reliably rapid response and high instantaneous effectiveness
- Rear tin core with rear constriction for stability in the residual body and a secure exit wound

DESCRIPTION

GECO ZERO is a highly effective and accurate, lead-free bullet for all types of game.



BALLISTIC DATA

Metric


Velocity		Energy		Zero Range		
V0 [m/s]	980	E0 [J]	3938		100m	MRD* 197m
V50 [m/s]	919	E50 [J]	3463	50m	-1	1
V100 [m/s]	861	E100 [J]	3039	100m	∞	4
V150 [m/s]	805	E150 [J]	2657	150m	-2.3	3.8
V200 [m/s]	752	E200 [J]	2319	200m	-8.3	-0.3
V250 [m/s]	700	E250 [J]	2009	250m	-18.7	-8.7
V300 [m/s]	651	E300 [J]	1738	300m	-34.2	-22.1

Imperial

Velocity		Energy		Zero Range		
V0 [ft/s]	3215	E0 [ft/lbs]	2905		100yds	MRD* 211yds
V50 [ft/s]	3033	E50 [ft/lbs]	2585	50yds	-0.5	0.2
V100 [ft/s]	2857	E100 [ft/lbs]	2294	100yds	∞	1.4
V150 [ft/s]	2688	E150 [ft/lbs]	2030	150yds	-0.5	1.6
V200 [ft/s]	2526	E200 [ft/lbs]	1793	200yds	-2.3	0.5
V250 [ft/s]	2369	E250 [ft/lbs]	1577	250yds	-5.4	-1.9
V300 [ft/s]	2218	E300 [ft/lbs]	1382	300yds	-10.1	-5.8



Bullet construction of GECO ZERO



GECO PERFORMANCE POINT:

For accuracy and certain expansion

PRE-FRAGMENTED TIN FRONT CORE:

For reliable performance and solid stopping power

REAR CANNELURE:

For heigh weight retention and a certain exit wound



PERFORMANCE

