



**CENTREFIRE RIFLE
CARTRIDGES**

GECO SOFTPOINT

GECO .223 Rem. SOFTPOINT 3,4g

Item no:	2413470
Bullet type:	SP
Bullet Weight:	3.4 g / 53 gr
Barrell Length:	600 mm
Ballistic Coefficient:	0.237
Caliber:	.223 Rem.
Unit size:	20
Lead:	Yes
Recoil:	Very Light
Usage for:	Predator hunting Light Game

HIGHLIGHTS

- Universally applicable and able to cope with almost any hunting situation
- Reliable response in the body of the game and good target ballistic effect
- GECO CLASSIC TIP provides deformation and stability you can count on
- Balanced performance through GECO LEAD CORE
- GECO TS JACKET for precision and barrel care

DESCRIPTION

GECO SOFTPOINT is universally applicable and able to cope with almost any hunting situation.



BALLISTIC DATA

Metric


Velocity		Energy		Zero Range		
V0 [m/s]	980	E0 [J]	1633		100m	MRD* 185m
V50 [m/s]	909	E50 [J]	1404	50m	-0.5	1.5
V100 [m/s]	841	E100 [J]	1203	100m	∅	4
V150 [m/s]	777	E150 [J]	1026	150m	-2.9	3
V200 [m/s]	715	E200 [J]	870	200m	-9.9	-2
V250 [m/s]	657	E250 [J]	734	250m	-21.7	-11.8
V300 [m/s]	601	E300 [J]	614	300m	-39.2	-27.2

Imperial

Velocity		Energy		Zero Range		
V0 [ft/s]	3215	E0 [ft/lbs]	1205		100yds	MRD* 202yds
V50 [ft/s]	2982	E50 [ft/lbs]	1036	50yds	-0.5	1.6
V100 [ft/s]	2759	E100 [ft/lbs]	888	100yds	∅	4.4
V150 [ft/s]	2549	E150 [ft/lbs]	757	150yds	-3.2	3.3
V200 [ft/s]	2346	E200 [ft/lbs]	642	200yds	-10.8	-2.2
V250 [ft/s]	2156	E250 [ft/lbs]	542	250yds	-23.7	-12.9
V300 [ft/s]	1972	E300 [ft/lbs]	453	300yds	-42.9	-29.7



Bullet construction of GECO SOFTPOINT



1 GECO CLASSIC TIP:

For safe deformation and stabilit

2 GECO LEAD CORE:

For a well-balanced performance

3 GECO TS JACKET:

For precision and barrel protection



Product Datasheet

