



**CENTREFIRE RIFLE
CARTRIDGES**

GECO STAR

GECO .30-06 STAR 10,7g

Item no:	2413835
Bullet type:	Monolithic
Bullet Weight:	10.7 g / 165 gr
Barrell Length:	600 mm
Ballistic Coefficient:	0.397
Caliber:	.30-06 Spring.
Unit size:	20
Lead:	No
Recoil:	Medium
Usage for:	Light Game Medium Game Heavy Game

HIGHLIGHTS

- Lead-free deformation bullet
- The hollow-point design provides deformation you can count on from any distance
- High intrinsic precision and good game preservation
- GECO COPPER CORE provides maximum penetration and narrow flight path

DESCRIPTION

GECO STAR is a lead-free deformation bullet designed for maximum penetration and a high residual weight.



BALLISTIC DATA

Metric


Velocity		Energy		Zero Range		
V0 [m/s]	824	E0 [J]	3633		100m	MRD* 171m
V50 [m/s]	786	E50 [J]	3305	50m	-0.5	1.5
V100 [m/s]	750	E100 [J]	3009	100m	∞	4
V150 [m/s]	714	E150 [J]	2727	150m	-3.8	2.2
V200 [m/s]	680	E200 [J]	2474	200m	-12.5	-4.5
V250 [m/s]	646	E250 [J]	2233	250m	-26.5	-16.4
V300 [m/s]	614	E300 [J]	2017	300m	-46.4	-34.3

Imperial

Velocity		Energy		Zero Range		
V0 [ft/s]	2703	E0 [ft/lbs]	2680		100yds	MRD* 189yds
V50 [ft/s]	2590	E50 [ft/lbs]	2459	50yds	-0.4	0.4
V100 [ft/s]	2480	E100 [ft/lbs]	2255	100yds	∞	1.6
V150 [ft/s]	2374	E150 [ft/lbs]	2066	150yds	-1.1	1.3
V200 [ft/s]	2270	E200 [ft/lbs]	1889	200yds	-3.7	-0.5
V250 [ft/s]	2168	E250 [ft/lbs]	1723	250yds	-8	-4
V300 [ft/s]	2068	E300 [ft/lbs]	1568	300yds	-14.1	-9.4



Bullet construction of GECO STAR



1 GECO HOLLOW POINT:

For reliable deformation at all distances

2 GECO GROOVES:

For maximum precision and optimum ballistics

3 GECO COPPER CORE:

For deep penetration and high knock down power



Product Datasheet

