



CENTREFIRE RIFLE CARTRIDGES

GECO SOFTPOINT

GECO .280 Rem. SOFTPOINT 10,7g

Item no:	2117584
Bullet type:	SP
Bullet Weight:	10.7 g / 165 gr
Barrell Length:	600 mm
Ballistic Coefficient:	0.360
Caliber:	.280 Rem.
Unit size:	20
Lead:	Yes
Recoil:	Medium
Usage for:	Light Game Medium Game Heavy Game

HIGHLIGHTS

- Universally applicable and able to cope with almost any hunting situation
- Reliable response in the body of the game and good target ballistic effect
- GECO CLASSIC TIP provides deformation and stability you can count on
- Balanced performance through GECO LEAD CORE
- GECO TS JACKET for precision and barrel care

DESCRIPTION

GECO SOFTPOINT is universally applicable and able to cope with almost any hunting situation.



BALLISTIC DATA

Metric


Velocity		Energy		Zero Range		
V0 [m/s]	830	E0 [J]	3686		100m	MRD* 170m
V50 [m/s]	788	E50 [J]	3322	50m	-0.5	1.5
V100 [m/s]	748	E100 [J]	2993	100m	∅	4
V150 [m/s]	709	E150 [J]	2689	150m	-3.9	2.1
V200 [m/s]	671	E200 [J]	2409	200m	-12.6	-4.6
V250 [m/s]	634	E250 [J]	2150	250m	-26.8	-16.8
V300 [m/s]	598	E300 [J]	1913	300m	-47.2	-35.2

Imperial

Velocity		Energy		Zero Range		
V0 [ft/s]	2789	E0 [ft/lbs]	2851		100yds	MRD* 193yds
V50 [ft/s]	2662	E50 [ft/lbs]	2598	50yds	-0.4	0.4
V100 [ft/s]	2538	E100 [ft/lbs]	2362	100yds	∅	1.6
V150 [ft/s]	2418	E150 [ft/lbs]	2144	150yds	-1	1.4
V200 [ft/s]	2301	E200 [ft/lbs]	1941	200yds	-3.4	-0.3
V250 [ft/s]	2188	E250 [ft/lbs]	1755	250yds	-7.5	-3.6
V300 [ft/s]	2078	E300 [ft/lbs]	1583	300yds	-13.4	-8.8



Bullet construction of GECO SOFTPOINT





PERFORMANCE

