



## CENTREFIRE RIFLE CARTRIDGES

# GECO TARGET FMJ

**GECO .223 Rem. TARGET FMJ 3,6g**

|                        |                      |
|------------------------|----------------------|
| Item no:               | <b>2317561</b>       |
| Bullet type:           | <b>FMJ</b>           |
| Bullet Weight:         | <b>3.6 g / 55 gr</b> |
| Barrell Length:        | <b>600 mm</b>        |
| Ballistic Coefficient: | <b>0.275</b>         |
| Caliber:               | <b>.223 Rem.</b>     |
| Unit size:             | <b>50</b>            |
| Lead:                  | <b>Yes</b>           |
| Recoil:                | <b>Very Light</b>    |
| Usage for:             | <b>Training</b>      |

## HIGHLIGHTS

- The bullets are particularly suitable for use with semi-automatic weapons with high rates of fire
- Low barrel contamination thanks to the tombac jacket of the FMJ bullet
- Best accuracy for dynamic IPSC disciplines
- The pack of 50 provides value for money for shooters with a high training intensity

## DESCRIPTION

GECO TARGET FMJ is particularly suitable for use with semi-automatic weapons with a high rate of fire. Maximum accuracy guaranteed. Particularly suitable for IPSC.



BALLISTIC DATA

Metric

| Velocity   |      | Energy   |      | Zero Range |       |           |
|------------|------|----------|------|------------|-------|-----------|
| V0 [m/s]   | 1010 | E0 [J]   | 1837 |            | 100m  | MRD* 198m |
| V50 [m/s]  | 948  | E50 [J]  | 1618 | 50m        | -1.1  | 0.7       |
| V100 [m/s] | 889  | E100 [J] | 1423 | 100m       | ∅     | 3.7       |
| V150 [m/s] | 932  | E150 [J] | 1247 | 150m       | -2    | 3.5       |
| V200 [m/s] | 778  | E200 [J] | 1090 | 200m       | -7.6  | -0.2      |
| V250 [m/s] | 726  | E250 [J] | 949  | 250m       | -17   | -7.9      |
| V300 [m/s] | 676  | E300 [J] | 822  | 300m       | -31.3 | -20.3     |

Imperial

| Velocity    |      | Energy        |      | Zero Range |        |             |
|-------------|------|---------------|------|------------|--------|-------------|
| V0 [ft/s]   | 3313 | E0 [ft/lbs]   | 1355 |            | 100yds | MRD* 215yds |
| V50 [ft/s]  | 3128 | E50 [ft/lbs]  | 1207 | 50yds      | -0.6   | 0.1         |
| V100 [ft/s] | 2949 | E100 [ft/lbs] | 1073 | 100yds     | ∅      | 1.3         |
| V150 [ft/s] | 2777 | E150 [ft/lbs] | 951  | 150yds     | -0.4   | 1.6         |
| V200 [ft/s] | 2612 | E200 [ft/lbs] | 842  | 200yds     | -2     | 0.7         |
| V250 [ft/s] | 2453 | E250 [ft/lbs] | 742  | 250yds     | -4.9   | -1.5        |
| V300 [ft/s] | 2299 | E300 [ft/lbs] | 652  | 300yds     | -9.2   | -5.2        |



# TARGET FMJ

THE TRAINING BULLET - MILITARY

## PERFORMANCE

ACCURACY

FLAT TRAJECTORY