



CARTUCCHE A PALLA

GECO PLUS

GECO .270 Win. PLUS 9,7g

Articolo n.:	2317837
Tipo di proiettile:	Bonded
Peso del proiettile:	9.7 g / 150 gr
Lunghezza della canna:	600 mm
Coefficiente balistico:	0.316
Calibro:	.270 Win.
Dimensione dell'unità:	20
Piombo:	Sì
Rinculo:	Medio
Uso per:	Selvaggina leggera Selvaggina media Selvaggina pesante

PUNTI SALIENTI

- Elevato effetto in profondità e protezione della carne della preda, anche con la selvaggina più robusta
- Efficacia affidabile nella selvaggina pesante e nelle ossa
- Elevata precisione e deformazione garantita grazie al GECO BONDING
- Controllo della deformazione con i punti di rottura visibili sull'incamiciatura

Descrizione

GECO PLUS è sinonimo di potenziale di penetrazione e basso impatto sulla carne della preda, anche sugli animali più robusti.



BALLISTIC DATA

metrico


Velocità		Energia		Intervallo di zero raccomandato		
V0 [m/s]	850	E0 [J]	3504		100m	MRD* 172m
V50 [m/s]	802	E50 [J]	3120	50m	-0.6	1.4
V100 [m/s]	755	E100 [J]	2765	100m	∞	4
V150 [m/s]	710	E150 [J]	2445	150m	-3.7	2.3
V200 [m/s]	667	E200 [J]	2158	200m	-12.3	-4.3
V250 [m/s]	625	E250 [J]	1895	250m	-26.4	-16.4
V300 [m/s]	586	E300 [J]	1665	300m	-46.9	-34.8

imperiale

Velocità		Energia		Intervallo di zero raccomandato		
V0 [ft/s]	2789	E0 [ft/lbs]	2585		100yds	MRD* 190yds
V50 [ft/s]	2644	E50 [ft/lbs]	2323	50yds	-0.4	0.4
V100 [ft/s]	2504	E100 [ft/lbs]	2084	100yds	∞	1.6
V150 [ft/s]	2367	E150 [ft/lbs]	1862	150yds	-1	1.3
V200 [ft/s]	2235	E200 [ft/lbs]	1660	200yds	-3.6	-0.5
V250 [ft/s]	2109	E250 [ft/lbs]	1478	250 metri	-7.9	-4
V300 [ft/s]	1988	E300 [ft/lbs]	1314	300yds	-14.2	-9.5



Bullet construction of GECO PLUS



1 GECO PERFORMANCE POINT:
For precision and safe deformation

2 GECO GROOVES:
For controlled effectiveness

3 GECO BONDING:
For deep penetration and venision protection



PERFORMANCE

