



CARTUCCHE A PALLA

GECO PLUS

GECO 7mm Rem. Mag. PLUS 11,0g

Articolo n.:	2317844
Tipo di proiettile:	Bonded
Peso del proiettile:	11,0 g / 170 gr
Lunghezza della canna:	650 mm
Coefficiente balistico:	0.375
Calibro:	7 mm Rem. Mag.
Dimensione dell'unità:	20
Piombo:	Sì
Rinculo:	Medio
Uso per:	Selvaggina leggera Selvaggina media Selvaggina pesante

PUNTI SALIENTI

- Elevato effetto in profondità e protezione della carne della preda, anche con la selvaggina più robusta
- Efficacia affidabile nella selvaggina pesante e nelle ossa
- Elevata precisione e deformazione garantita grazie al GECO BONDING
- Controllo della deformazione con i punti di rottura visibili sull'incamiciatura

Descrizione

GECO PLUS è sinonimo di potenziale di penetrazione e basso impatto sulla carne della preda, anche sugli animali più robusti.



BALLISTIC DATA

metrico


Velocità		Energia		Intervallo di zero raccomandato		
V0 [m/s]	866	E0 [J]	4125		100m	MRD* 178m
V50 [m/s]	825	E50 [J]	3743	50m	-0.7	1.3
V100 [m/s]	785	E100 [J]	3389	100m	■	4
V150 [m/s]	746	E150 [J]	3061	150m	-3.3	2.7
V200 [m/s]	709	E200 [J]	2765	200m	-11	-3
V250 [m/s]	672	E250 [J]	2484	250m	-23.6	-13.6
V300 [m/s]	637	E300 [J]	2232	300m	-41.6	-29.7

imperiale

Velocità		Energia		Intervallo di zero raccomandato		
V0 [ft/s]	2841	E0 [ft/lbs]	3043		100yds	MRD* 199yds
V50 [ft/s]	2718	E50 [ft/lbs]	2785	50yds	-0.4	0.4
V100 [ft/s]	2598	E100 [ft/lbs]	2544	100yds	■	1.6
V150 [ft/s]	2481	E150 [ft/lbs]	2320	150yds	-0.9	1.5
V200 [ft/s]	2367	E200 [ft/lbs]	2112	200yds	-3.2	
V250 [ft/s]	2256	E250 [ft/lbs]	1918	250 metri	-7	-3.1
V300 [ft/s]	2148	E300 [ft/lbs]	1739	300yds	-12.6	-7.9



Bullet construction of GECO PLUS



1 GECO PERFORMANCE POINT:
For precision and safe deformation

2 GECO GROOVES:
For controlled effectiveness

3 GECO BONDING:
For deep penetration and venision protection



PERFORMANCE

