



NABOJE KULOWE

GECO ZERO

GECO 7x57 R ZERO 8,2g

Nr artykułu:	2318818
Typ pocisku:	Fragmentation
Masa pocisku:	8.2 g / 127 gr
Długość lufy:	600 mm
Współczynnik balistyczny:	0.274
Kaliber:	7x57 R
Wielkość jednostki:	20
Ołów:	Nie
Odrzut:	Lekkie
Sposób użycia dla:	Małe łowy Średnie łowy Duże łowy

HIGHLIGHTS

- Bezołowiowy pocisk ulegający cząstecowemu rozpadowi do wszystkich gatunków dziczyzny
- Ten wysoce innowacyjny pocisk paszowy ma dwa rdzenie cynowe.
- Konstrukcja pocisku z pustym grotem zapewnia dużą precyzję i optymalną skuteczność
- Przedni rdzeń cynowy z promieniowo przebiegającymi przewidywanymi miejscami pęknięcia i natychmiastowym efektem obalającym
- Tylny rdzeń cynowy zapewniający siłę do tyłu, zapewniający stabilny wymiarowo korpus szczelkowy i bezpieczny wyrzut

Opis

GECO ZERO to pocisk bezołowiowy o wysokiej skuteczności i precyzji – do wszystkich gatunków zwierzyny.



BALLISTIC DATA

metryczne


Prędkość		Energia		Zalecany zakres zerowy		
V0 [m/s]	820	E0 [J]	2757		100m	MRD* 163m
V50 [m/s]	766	E50 [J]	2406	50 m	-0.4	1.6
V100 [m/s]	714	E100 [J]	2090	100 m	∞	4
V150 [m/s]	664	E150 [J]	1808	150 m	-4.4	1.6
V200 [m/s]	616	E200 [J]	1556	200 m	-14.4	-6.4
V250 [m/s]	571	E250 [J]	1337	250 m	-30.9	-20.9
V300 [m/s]	527	E300 [J]	1139	300 m	-55	-42.9

imperialne

Prędkość		Energia		Zalecany zakres zerowy		
V0 [ft/s]	2690	E0 [ft/lbs]	2034		100yds	MRD* 179yds
V50 [ft/s]	2528	E50 [ft/lbs]	1796	50 yds	-0.3	0.5
V100 [ft/s]	2371	E100 [ft/lbs]	1580	100 yds	∞	1.6
V150 [ft/s]	2220	E150 [ft/lbs]	1385	150 yds	-1.2	1.1
V200 [ft/s]	2075	E200 [ft/lbs]	1210	200 yds	-4.2	-1.1
V250 [ft/s]	1935	E250 [ft/lbs]	1052	250 yds	-9.3	-5.4
V300 [ft/s]	1802	E300 [ft/lbs]	912	300 yds	-16.6	-12



Bullet construction of GECO ZERO



GECO PERFORMANCE POINT:

For accuracy and certain expansion

PRE-FRAGMENTED TIN FRONT CORE:

For reliable performance and solid stopping power

REAR CANNELURE:

For heigh weight retention and a certain exit wound



PERFORMANCE

