



NABOJE KULOWE

GECO ZERO

GECO 8x57 JRS ZERO 9,0g

Nr artykułu:	2318948
Typ pocisku:	Fragmentation
Masa pocisku:	9,0 g / 139 gr
Długość lufy:	600 mm
Współczynnik balistyczny:	0.225
Kaliber:	8x57 JRS
Wielkość jednostki:	20
Ołów:	Nie
Odrzut:	Ładunkowe
Sposób użycia dla:	Mające owy średnie owy duże owy

HIGHLIGHTS

- Bezołowiowy pocisk ulegający cząstkowemu rozpadowi do wszystkich gatunków dziczyzny
- Ten wysoce innowacyjny pocisk paszowy ma dwa rdzenie cynowe.
- Konstrukcja pocisku z pustym grotem zapewnia dużą precyzję i optymalną skuteczność
- Przedni rdzeń cynowy z promieniowo przebiegającymi przewidywanymi miejscami pęknięcia i natychmiastowym efektem obalającym
- Tylny rdzeń cynowy zapewniający siłę do tyłu, zapewniający stabilny wymiarowo korpus szczelny i bezpieczny wyrzut

Opis

GECO ZERO to pocisk bezołowiowy o wysokiej skuteczności i precyzji – do wszystkich gatunków zwierzyny.



BALLISTIC DATA

metryczne


Prędkość		Energia		Zalecany zakres zerowy		
V0 [m/s]	850	E0 [J]	3251		100m	MRD* 163m
V50 [m/s]	779	E50 [J]	2731	50 m	-0.5	1.5
V100 [m/s]	712	E100 [J]	2281	100 m	∞	4
V150 [m/s]	651	E150 [J]	1907	150 m	-4.4	1.6
V200 [m/s]	594	E200 [J]	1588	200 m	-14.6	-6.6
V250 [m/s]	542	E250 [J]	1322	250 m	-31.7	-21.8
V300 [m/s]	494	E300 [J]	1098	300 m	-57.3	-45.4

imperialne

Prędkość		Energia		Zalecany zakres zerowy		
V0 [ft/s]	2789	E0 [ft/lbs]	2398		100yds	MRD* 180yds
V50 [ft/s]	2577	E50 [ft/lbs]	2048	50 yds	-0.3	0.4
V100 [ft/s]	2372	E100 [ft/lbs]	1735	100 yds	∞	1.6
V150 [ft/s]	2185	E150 [ft/lbs]	1472	150 yds	-1.2	1.1
V200 [ft/s]	2011	E200 [ft/lbs]	1247	200 yds	-4.2	-1.1
V250 [ft/s]	1851	E250 [ft/lbs]	1057	250 yds	-9.4	-5.5
V300 [ft/s]	1701	E300 [ft/lbs]	892	300 yds	-17.2	-12.5



Bullet construction of GECO ZERO



GECO PERFORMANCE POINT:

For accuracy and certain expansion

PRE-FRAGMENTED TIN FRONT CORE:

For reliable performance and solid stopping power

REAR CANNELURE:

For heigh weight retention and a certain exit wound



PERFORMANCE

