



NABOJE KULOWE

GECO ZERO

GECO 9,3x62 ZERO 11,9g

Nr artykułu:	2318950
Typ pocisku:	Fragmentation
Masa pocisku:	11.9 g / 184 gr
Długość lufy:	600 mm
Współczynnik balistyczny:	0.241
Kaliber:	9,3x62
Wielkość jednostki:	20
Ołów:	Nie
Odrzut:	Mocne
Sposób użycia dla:	średnie łowy Duże łowy

HIGHLIGHTS

- Bezołowiowy pocisk ulegający cząstecowemu rozpadowi do wszystkich gatunków dziczyzny
- Ten wysoce innowacyjny pocisk posiada dwa rdzenie cynowe.
- Konstrukcja pocisku z pustym grotem zapewnia dużą precyzję i optymalną skuteczność
- Przedni rdzeń cynowy z promieniowo przebiegającymi przewidywanymi miejscami pęknięcia i natychmiastowym efektem obalającym
- Tylny rdzeń cynowy zapewniający siłę do tyłu, zapewniający stabilny wymiarowo korpus szczątkowy i bezpieczny wyrzut

Opis

GECO ZERO to pocisk bezołowiowy o wysokiej skuteczności i precyzji – do wszystkich gatunków zwierzyny.



BALLISTIC DATA

metryczne


Prędkość		Energia		Zalecany zakres zerowy		
V0 [m/s]	870	E0 [J]	4504		100m	MRD* 170m
V50 [m/s]	806	E50 [J]	3865	50 m	-0.6	1.4
V100 [m/s]	746	E100 [J]	3311	100 m	∞	4
V150 [m/s]	688	E150 [J]	2816	150 m	-3.8	2.2
V200 [m/s]	632	E200 [J]	2377	200 m	-12.8	-4.8
V250 [m/s]	580	E250 [J]	2002	250 m	-28	-18
V300 [m/s]	530	E300 [J]	1671	300 m	-50.6	-38.5

imperialne

Prędkość		Energia		Zalecany zakres zerowy		
V0 [ft/s]	2854	E0 [ft/lbs]	3322		100yds	MRD* 188yds
V50 [ft/s]	2663	E50 [ft/lbs]	2892	50 yds	-0.4	0.4
V100 [ft/s]	2480	E100 [ft/lbs]	2508	100 yds	∞	1.6
V150 [ft/s]	2304	E150 [ft/lbs]	2165	150 yds	-1	1.3
V200 [ft/s]	2136	E200 [ft/lbs]	1860	200 yds	-3.7	-0.6
V250 [ft/s]	1975	E250 [ft/lbs]	1591	250 yds	-8.3	-4.4
V300 [ft/s]	1822	E300 [ft/lbs]	1354	300 yds	-15.1	-10.4



Bullet construction of GECO ZERO



GECO PERFORMANCE POINT:

For accuracy and certain expansion

PRE-FRAGMENTED TIN FRONT CORE:

For reliable performance and solid stopping power

REAR CANNELURE:

For high weight retention and a certain exit wound



PERFORMANCE

