



NABOJE KULOWE

GECO STAR

GECO 7x64 STAR 9,1g

Nr artykułu:	2420977
Typ pocisku:	Monolithic
Masa pocisku:	9.1 g / 140 gr
Długość lufy:	600 mm
Współczynnik balistyczny:	0.220
Kaliber:	7x64
Wielkość jednostki:	20
Ołów:	Nie
Odrzut:	Ładunkowe
Sposób użycia dla:	Mające łowić średnie łowić duże łowić

HIGHLIGHTS

- Bezołowiowy pocisk deformacyjny
- Pewna deformacja na wszystkich dystansach dzięki konstrukcji pocisku z pustym grotem
- Wysoka precyzja wstrzału i dobre wykorzystanie tuszy
- Maksymalne działanie penetrujące i małe odcinki ucieczki dzięki GECO COPPER CORE

Opis

GECO STAR to bezołowiowy pocisk deformacyjny o maksymalnym działaniu penetrującym i dużej masie resztkowej.



BALLISTIC DATA

metryczne


Prędkość		Energia		Zalecany zakres zerowy		
V0 [m/s]	928	E0 [J]	3918		100m	MRD* 178m
V50 [m/s]	856	E50 [J]	3334	50 m	-0.8	1.2
V100 [m/s]	788	E100 [J]	2825	100 m	∞	4
V150 [m/s]	720	E150 [J]	2359	150 m	-3.1	2.9
V200 [m/s]	655	E200 [J]	1952	200 m	-11.1	-3
V250 [m/s]	596	E250 [J]	1616	250 m	-24.8	-14.7
V300 [m/s]	543	E300 [J]	1642	300 m	-45.4	-33.4

imperialne

Prędkość		Energia		Zalecany zakres zerowy		
V0 [ft/s]	3045	E0 [ft/lbs]	2890		100yds	MRD* 198yds
V50 [ft/s]	2828	E50 [ft/lbs]	2494	50 yds	-0.5	0.3
V100 [ft/s]	2622	E100 [ft/lbs]	2144	100 yds	∞	1.6
V150 [ft/s]	2417	E150 [ft/lbs]	1822	150 yds	-0.8	1.5
V200 [ft/s]	2219	E200 [ft/lbs]	1535	200 yds	-3.1	
V250 [ft/s]	2037	E250 [ft/lbs]	1294	250 yds	-7.2	-3.3
V300 [ft/s]	1866	E300 [ft/lbs]	1086	300 yds	-13.4	-8.7



Bullet construction of GECO STAR



GECO HOLLOW POINT:

For reliable deformation at all distances

GECO GROOVES:

For maximum precision and optimum ballistics

GECO COPPER CORE:

For deep penetration and high knock down power



PERFORMANCE

